

GALLIUM

NEW
MODEL



GET ON THE CRAZY TRAIN. GALLIUM IS THE ULTIMATE TRAINING MACHINE FOR THOSE WHO DREAM OF GOING PRO. THIS IS ONE SERIOUS WORLD-CLASS PERFORMANCE BIKE BUILT FOR TRAINING AND GROUP RIDES. A TRUE WORKHORSE WITH THE SAME RACE GEOMETRY AND CHARACTERISTIC AS THE PRO, BUT ONLY SLIGHTLY HEAVIER. GET READY TO FLY. GET READY FOR GALLIUM.

HIGH PERFORMANCE

HIGH PERFORMANCE JUST TOOK A WHOLE NEW MEANING
New for 2019, a more affordable version of our flagship Gallium Pro with the same riding characteristics and same painstaking attention to details; all in all, the perfect bike for serious training and group rides.

WANNA RACE?


Why not. The Gallium is anything but a wannabe race machine. Build it right, put on your race wheels and get ready to tackle any race circuit, from the local criterium to world-class mountain stages. The Gallium will take you to the finish line like a pro.

HIGHLIGHTS

- **SAME GEOMETRY AS THE GALLIUM PRO**
Tried and tested on the roads of the biggest World Tour races
- **HIGH PERFORMANCE MONOCOQUE CARBON FRAME**
With riveted aluminum front derailleur hanger
- **ALL-AROUND ROAD AND CLIMBING BIKE**
For a great riding experience
- **UP TO 28MM TIRE CLEARANCE**
For maximum comfort and compatibility
- **REFINED 27.2 SEATPOST**
Easy-to-use, offers more compliance, adjustability and comfort
- **PRESS-FIT 3D SYSTEM**
Extends positioning flexibility by offering 3 head tube heights for every frame size without sacrificing any rigidity; system preserves 5% and 11% more incremental frontal rigidity vs. standard spacers when the handlebar is set at 15mm and 25mm respectively
- **MONOCOQUE CARBON FORK**
Stiff and comfortable
- **INLAID CHAINSUCK PROTECTOR**
Protection of the carbon chainstay against wear from the chain's movement



SILVER GREY METALLIC



GEOMETRY

SIZE CLASSIC		XXS 44-46	XS 47-50	S 51-53	M 54-56	L 57-59	XL 60-62
A Seat Tube Height	cm	42.0	45.5	49.3	53.0	56.5	59.5
B Seat Tube Angle	deg	75.5	74.5	74.0	73.5	73.0	72.5
C Head Tube Angle	deg	71.0	72.0	72.7	72.7	72.7	73.0
D Top Tube Length*	cm	49.9	51.9	53.9	55.9	57.7	59.6
E Chainstay Length	cm	40.6	40.6	40.6	40.8	41.0	41.0
F Wheelbase	cm	96.1	96.4	97.2	99.0	100.5	101.6
G BB Drop	cm	6.5	7.0	7.5	7.5	7.5	7.5
H1 HeadTube Length	cm	7.5	8.5	11.0	14.0	16.5	18.5
H2 (+ 15mm 3D)	cm	9.0	10.0	12.5	15.5	18.0	20.0
H3 (+ 25mm 3D)	cm	10.0	11.0	13.5	16.5	19.0	21.0
I Standover Height†	cm	67.4	70.0	73.0	76.4	79.4	82.0

*Horizontal Top Tube Length † Measured with 700x23c tires

FIT (STACK AND REACH)

J Stack	cm	47.4	49.2	52.3	55.2	57.5	59.6
K Reach	cm	37.4	38.2	38.9	39.5	40.1	40.8
J (15mm 3D)	cm	48.8	50.6	53.7	56.6	59.0	61.0
K (15mm 3D)	cm	36.9	37.7	38.4	39.1	39.6	40.4
J (25mm 3D)	cm	49.8	51.6	54.7	57.5	59.9	62.0
K (25mm 3D)	cm	36.6	37.4	38.1	38.8	39.3	40.1
Saddle Height Min.†	cm	54.0	57.5	61.3	65.0	68.5	71.5
Saddle Height Max.†	cm	74.0	77.5	81.3	85.0	88.5	91.5

† Measured From Middle of BB to Top of Saddle Along Seat tube

FRAMESET CHARACTERISTICS

AERO	-	+
COMFORT	-	+
STIFFNESS / RESPONSIVENESS	-	+
LIGHTNESS	-	+

Frame Weight: 835g* Max Tire Size: 28mm BB Standard: BB86
Fork Weight: 373g Max Rim Size: N/A
* Medium size frame, painted with no small parts

Actual product specs may vary from those shown in this catalog.

